

AMREF INTERNATIONAL UNIVERSITY SCHOOL OF MEDICAL SCIENCES DEPARTMENT OF NURSING & MIDWIFERY SCIENCES HIGHER DIPLOMA IN CRITICAL CARE NURSING

END OF SEMESTER MAY/AUGUST 2023 EXAMINATIONS

DATE: 2nd AUGUST 2023

TIME: 2 HOURS

START: 11:15 A.M END: 1:15 P.M.

Instructions:

1. This paper has 2 sections: I and II

2. Answer ALL questions

3. Use the University examination booklets provided

4. Do not write on the question paper

SECTION I: MULTIPLE CHOICE QUESTIONS

- Read the following hypothesis and answer questions 1 |& 2; "There is no relationship between the food prices and the health status of children under-five years in Kenya" Statistically, this statement will be represented as;
 - a. H_0 : $\mu_1 \neq \mu_2$
 - b. $H_1: \mu_1 \neq \mu_2$
 - c. $H_0: \mu_1 > \mu_2$
 - d. $H_1: \mu_1 = \mu_2$
- 2. Identify the dependent variable;
 - a. Food price
 - b. Health status of children under five years
 - c. The under five years old
 - d. Malnutrition
- 3. Sampling error is;
 - a. When there are differences between variables
 - b. Discrepancy between sample and population characteristics
 - c. When many subjects in a study drop out
 - d. When the accessible population is highly heterogeneous
- 4. The following is a measure of central tendency
 - a. Histogram
 - b. Standard deviation
 - c. Mode
 - d. Bar graph
- 5. The following are the characteristics of **intext referencing** using APA (American Psychological Association) format;
 - a. According to Lincon, I. (2021)
 - b. According to Lincon. (2021)
 - c. According to Lincon I. (2021
 - d. According to Lincon (2021)

- 6. Hawthorne effect in research is as a result of;
 - a. The researcher participating in own research
 - b. Participants being unaware that they are participating in research
 - c. Participants being aware that their behaviour is being observed
 - d. Failure to randomly select study participants
- 7. Plagiarism in research means;
 - a. Researcher refers to another person's work as theirs without acknowledgement
 - b. Mishandling of the information given to a researcher by subjects
 - c. A situation where a researcher takes data that has not actually been collected
 - d. Where a researcher forces client to give information without prior consent
- 8. While collecting data from obese patients attending the cardiac clinic, the researcher hand picks only clients who have a BMI of 30 and above. This type of sampling is classified as;
 - a. Convenience
 - b. Purposive
 - c. Random
 - d. Systematic
- 9. The following scale is an example of nominal scales;
 - a. Temperature
 - b. Calendar
 - c. Gender
 - d. Weighing machine
- 10. If a researcher does not control extraneous variables, the following may be affected;
 - a. External validity
 - b. Reliability
 - c. Generalizability
 - d. Internal validity
- 11. Probability sampling design has the advantages of:
 - a. Small sample size being used
 - b. Being representative of the population
 - c. Allowing recruitment of the entire population
 - d. Allowing the researcher to use convenience sampling

- 12. Pretesting the questionnaire is done in order to:
 - a. Sensitize the sample population on the study
 - b. Allow the researcher to predict the resources needed for the study
 - c. Enhance the reliability of the study tool
 - d. Enable the researcher to predict the findings of the study
- 13. One of the following statements distinguish true experimental study from quasi experimental study;
 - a. Size of sample
 - b. Random assignment of subjects to the groups
 - c. Use of non-probability sample
 - d. The introduction of an experimental treatment
- 14. The following statement is true;
 - a. In Quantitative research, data may be collected from a smaller number of subjective allowing in-depth study of a phenomenon
 - b. Ethnographic studies describe patterns of behaviour of people within a culture
 - c. An experimental design is an example of a qualitative research
 - d. Correlation method of research is a qualitative research design.
- 15. Literature review is conducted in order to;
 - a. Test hypothesis in a study
 - b. Determine the area of study for a particular research
 - c. Synthesize what is known about a research topic
 - d. Determine and compare relative cost of study
- 16. You plan to conduct a research on knowledge level of staff regarding presentation of Deep Venous Thrombosis. During the study; a campaign is launched to educate nurses on this concept. This campaign presents a variable in your research known as;
 - a. Antecedent
 - b. Confiding
 - c. Intervening
 - d. Dependent
- 17. The ethical principle of non-maleficence requires the researcher to;
 - a. Obtain informed consent from the participant
 - b. Ensure that the participants are protected from any injuries
 - c. Conduct research that will benefit the participant
 - d. Refrain from research for personal gains

- 18. Research design where the researcher collects data at one point in time is referred to as;
 - a. Cross sectional
 - b. Exploratory research
 - c. Longitudinal
 - d. Ex-post facto
- 19. Examples of quantitative research include;
 - a. Correlational, phenomenological
 - b. Experimental, grounded theory
 - c. Descriptive, Quasi-experimental
 - d. Ethnographic, historical
- 20. Essential information given to a respondent before obtaining consent include;
 - A. Description of risks and discomfort
 - B. Promise to share research outcome
 - C. The research time plan
 - D. The cost implications of the research
- 21. What is the nurse's role in prevention of ventilator-associated pneumonia?
 - A. Adherence to VAP prevention hospital protocols
 - B. Being knowledgeable about evidenced based practices
 - C. Compliance to hospital infection control and hand washing guidelines
 - D. All of the above
- 22. The following antibiotics causes "red man syndrome" after rapid IV infusion: -
 - A. Azithromycin
 - B. Doxycycline
 - C. Cephalexin
 - D. Vancomycin
- 23. Critically ill patients have muscle wasting due to: -
 - A. High caloric demand
 - B. High oxygen demand
 - C. Increased metabolism
 - D. Nutritional imbalance
- 24. The purpose of nursing process is to: -
 - A. Assist family members in making important healthcare decisions
 - B. Provide nurses with a framework to aid them in delivering comprehensive care.
 - C. Help other healthcare professionals know what is going on with the client
 - D. Organize information so the doctor knows what is wrong with the client

- 25. The step of the nursing process includes the systematic collection of all subjective and objective data about the client in which the nurse focuses holistically on the client-physical, psychological, emotional, sociocultural, and spiritual. Name this step.
 - A. Assesment
 - B. Planning
 - C. Implementation
 - D. Diagnosis
- 26. During nursing report, you learn that the patient you will be caring for has Guillain-Barre Syndrome. As the nurse you know that this disease tends to present with:
 - A. signs and symptoms that are unilateral and descending that start in the lower extremities
 - B. signs and symptoms that are symmetrical and ascending that start in the upper extremities
 - C. signs and symptoms that are asymmetrical and ascending that start in the upper extremities
 - D. signs and symptoms that are symmetrical and ascending that start in the lower extremities
- 27. Myasthenia gravis occurs when antibodies attack the _____ receptors at the neuromuscular junction leading to _____.
 - A. metabotropic; muscle weakness
 - B. nicotinic acetylcholine; muscle weakness
 - C. dopaminergic adrenergic; muscle contraction
 - D. nicotinic adrenergic; muscle contraction
- 28. A 30-year-old patient involved in motorbike accident, was brought to Emergency and patient is in Hemorrhagic shock. The Consultant orders Focused assessment with sonography for trauma (FAST) to rule out what?
 - A. To measure the levels of troponin
 - B. To examine for muscular torsion
 - C. To rule out pericardial effusion
 - D. To rule out for pancreatitis
- 29. Once inside the nucleus of the cell, the Human Immunodeficiency Virus (HIV) needs to become part of the cell's DNA. To do this, the virus releases an enzyme called
 - A. Kinase
 - B. Reverse transcriptase
 - C. Integrase
 - D. Protease
- 30. Humoral immunity is also known as: -
 - A. Non-specific immune response
 - B. Antibody mediated immunity
 - C. Antigen mediated immunity
 - D. All of these

- 31. During nursing report you learn that the patient you will be caring for has Guillain-Barre Syndrome. As the nurse you know that this disease tends to present with:
 - A. signs and symptoms that are unilateral and descending that start in the lower extremities
 - B. signs and symptoms that are symmetrical and ascending that start in the upper extremities
 - C. signs and symptoms that are asymmetrical and ascending that start in the upper extremities
 - D. signs and symptoms that are symmetrical and ascending that start in the lower extremities
- 32. Myasthenia gravis occurs when antibodies attack the _____ receptors at the neuromuscular junction leading to _____.
 - A. metabotropic; muscle weakness
 - B. nicotinic acetylcholine; muscle weakness
 - C. dopaminergic adrenergic; muscle contraction
 - D. nicotinic adrenergic; muscle contraction
- 33. A 30-year-old patient involved in motorbike accident, was brought to Emergency and patient is in Hemorrhagic shock. The Consultant orders Focused assessment with sonography for trauma (FAST) to rule out what?
 - A. To measure the levels of troponin
 - B. To examine for muscular torsion
 - C. To rule out pericardial effusion
 - D. To rule out for pancreatitis
- 34. Once inside the nucleus of the cell, the Human Immunodeficiency Virus (HIV) needs to become part of the cell's DNA. To do this, the virus releases an enzyme called: -
 - A. Kinase
 - B. Reverse transcriptase
 - C. Integrase
 - D. Protease
- 35. Humoral immunity is also called as
 - A. Non-specific immune response
 - B. Antibody mediated immunity
 - C. Antigen mediated immunity
 - D. All of these
- 36. Chemotaxis refers to
 - A. Blood cells move away from source of infection
 - B. Blood cells move towards source of infection
 - C. Blood cells undergo apoptosis
 - D. Blood cells clump together to form a clot
- 37. Any substance that promotes phagocytosis of antigens by binding to them are called as
 - A. macrophages
 - B. phagocytes
 - C. opsonins
 - D. Interleukins

- 38. The major effector molecules involved in type IV hypersensitivity reactions are
 - A. Antibodies.
 - B. Complement components
 - C. Prostaglandins.
 - D. Cytokines
- 41. Which of the following is the site for T cell maturation?
 - A. Bone marrow
 - B. Tonsils
 - C. Thymus
 - D. Spleen
- 42. Which of the following statements is true of blood donors?
 - A. Relatives of the recipient are preferred
 - B. Males are preferred to females
 - C. Must be negative for antibodies to human immunodeficiency virus (HIV) I and II
 - D. Must be negative for antibodies to cytomegalovirus (CMV)
- 42. Which blood product is administered to a patient suffering from Hemophilia A?
 - A. Fresh frozen plasma
 - B. Factor IX concentrate
 - C. Factor VIII concentrate
 - D. Plasma volume expanders
- 43. A patient is to undergo for Bone marrow transplant and a family member requests to understand the meaning of allogeneic transplant. What is the correct response?
 - A. Replacing healthy stem cells with diseased cells, from one's own body
 - B. Replacing healthy stem cells from a donor to a recipient
 - C. Treatment for Von willebrand disease
 - D. Replacing platelets from a donar
- 44. The important role of corticosteroids in patients with Bone marrow transplant is
 - A. Reduction of White blood cells
 - B. Prevent graft versus host disease
 - C. Increase production of Red blood cells
 - D. Prevent allergic reactions

- 45. A patient experiences thrombocytopenia. The nurse should monitor the patient for which major complication
 - A. Weakness
 - B. Fatigue
 - C. Abdominal pain
 - D. Hemorrhage
- 46. The nurse is reviewing several lab reports. Which report is consistent with a diagnosis of thrombocytopenia?
 - A. Platelets below 1000,000 per microliter
 - B. Platelets below 20,000 per microliter
 - C. Haemoglobin 16 gm/dl
 - D. Haemoglobin 13 gm/dl
- 47. Which lab result would the nurse expect in a patient diagnosed with DIC?
 - A. A decreased prothrombin time (PT)
 - B. An increased platelet count
 - C. A low level of fibrinogen
 - D. An increased white blood cell count
- 48. The client with hemophilia A is experiencing hemarthrosis. Which intervention should the nurse recommend to the client?
 - A. Alternate aspirin and acetaminophen to help with the pain.
 - B. Apply cold packs for 24 to 48 hours to the affected area.
 - C. Perform active range-of-motion exercise on the extremity.
 - D. Put the affected extremity in the dependent position.
- 49. A patient was brought to the Emergency and diagnosed as severe sepsis Identify the typical clinical manifestations of Systemic inflammatory response syndrome (SIRS)
 - A. Hypertension, hypothermia and chills
 - B. Hypertherma, Tachypnoea, Tachycardia
 - C. Hypothermia, Bradycardia, dysnoea
 - D. Kussmaul breathing, tachypnea, bradynoea
- 50. Which statement below BEST describes how Heparin works as an anticoagulant?
 - A. "It inhibits the synthesis of vitamin K in the liver."
 - B. It binds to prothrombin and reverses the clotting process
 - C. It potentiates the inhibitory effect of factor x and thrombin
 - D. It potentiates aggregation of platelets

SECTION II: SHORT ANSWER QUESTIONS

(20 MARKS)

- 1. Mr. Q is admitted in the Intensive Care Unit (ICU) and has been diagnosed with acute gastrointestinal bleed.
 - a. Outline five (5) clinical presentations of acute GI bleed (5 marks)
 - b. Outline five (5) possible nursing diagnosis for this patient. (5 marks)
 - c. Describe the specific management of a patient with acute GI bleed (10Marks).