

AMREF INTERNATIONAL UNIVERSITY SCHOOL OF MEDICAL SCIENCES DEPARTMENT OF NURSING AND MIDWIFERY SCIENCES KENYA REGISTERED COMMUNITY HEALTH NURSING END OF JANAURY-APRIL SEMESTER EXAMINATIONS 2023

DNS 213: SEXUAL AND REPRODUCTIVE HEALTH AND FAMILY PLANNING

DATE: THURSDAY 13TH APRIL 2023

TIME: 2 Hours Start: 1400 HOURS Finish: 1600 HOURS

INSTRUCTIONS

- 1. This exam will be marked out of 70 Marks
- 2. ALL Questions are compulsory.
- **3.** The Examination has Three Sections: Section I- Multiple Choice Questions, Section II: Short Answer Questions, Section III: Long Essay Questions
- 4. Answer all Questions in the ANSWER BOOKLET provided
- **5.** Do Not write anything on the question paper -use the back of your booklet for rough work if need be.

SECTION I: MULTIPLE CHOICE QUESTIONS (20 MARKS)

- 1. Gender is defined as:
 - a. Female rights
 - b. Either Male or Female
 - c. Varies from one culture to another
 - d. Bisexuality
- 2. The following is a short term complication of female genital mutilation:
 - a. Keloids
 - b. Infertility
 - c. Infection
 - d. Fetal distress
- 3. The cyclic rise in basal body temperature (BBT) in women of reproductive age is as attributed to the hormone:
 - a. Estrogen
 - b. Progesterone
 - c. Estradiol
 - d. Luteinizing hormone
- 4. The following is a combined oral contraceptive
 - a. Microlut
 - b. Chaguo langu
 - c. Postinor II
 - d. Micronor
- 5. Copper T 380A intrauterine copper device should be replaced once after:
 - a. 4 years
 - b. 8 years
 - c. 12 years
 - d. 5 years
- 6. The mode of action of combined oral contraceptives is:
 - a. Inhibiting or slowing down the transportation of egg and sperm through the fallopian tubes which prevents fertilization.
 - b. Delay or inhibit ovulation as FSH production is suppressed, which inhibit maturation of ovarian follicles.
 - c. Mucus is too thick to be by penetrated by the sperm
 - d. Ovum motility is increased in fallopian tubes hence reaches the uterus prematurely
- 7. Indicate whether True (T) or False (F) for the below statements (½ Mark each)
 - a. Vasectomy is synonymous with castration
 - b. A man who has sexual intercourse one week after a vasectomy cannot impregnate their partner

- 8. When using combined oral contraceptive (COCs) pills, in case 2 pills in a row missed in the first week of the pack the client should:
 - a. Continue taking pills as usual
 - b. Take 2 pills per day for 2days then continue with a single pill daily
 - c. Stop using the COCs and switch to another method immediately
 - d. Take a pill as soon as possible, finish all the hormonal pills in the pack and start new pack the next day.
- **9.** One of the following is an artificial family planning method:
 - a. The rhythm or calendar method
 - b. Vaginal sponge
 - c. The basal body temperature
 - d. The cervical mucus method (Billings ovulation)
- 10. The family planning method recommended for a couple planning to space their children for 5 years is:
 - a. Tubal ligation
 - b. IUCD
 - c. Combined oral contraceptives
 - d. Depo Provera
- 11. The following is a factor facilitating women empowerment:
 - a. Male chauvinism
 - b. Education of women
 - c. Patriarchal societal systems
 - d. Cultural practices and traditions
- 12. Progesterone only oral contraceptives may help prevent:
 - a. Endometrial cancer, pelvic inflammatory disease, trichomoniasis
 - b. Pelvic inflammatory disease, ovarian cancer, candidiasis
 - c. Benign breast lump, pelvic inflammatory disease, Endometrial cancer
 - d. Trichomoniasis, benign breast lump, Endometrial cancer
- 13. Following coitus, hormonal emergency contraceptives must be taken within :
 - a. 120 hours
 - b. 72 hours
 - c. 180 hours
 - d. 48 hours
- 14. The following is a benefit of gender equality:
 - a. Rivalry between men and women
 - b. Necessary for sustainable human development
 - c. Favors female gender
 - d. Promotes property inheritance by males only

- 15. The following is a form of sexual violence:
 - a. Engaging in sexual intercourse with other partners when in a committed intimate relationship
 - b. Financial control of intimate partners
 - c. Rape
 - d. Wife battering
- 16. The condition for which combined oral contraceptives (COCs) are contraindicated is:
 - a. Anemia
 - b. Hypertension
 - c. Dysmenorrhea
 - d. Acne
- 17. The following is FALSE regarding depo Provera:
 - a. Return of fertility is immediate after stoppage
 - b. It is able to protect against fibroids
 - c. It is a 3 monthly injectable but can be given 2 weeks or 1 week later
 - d. It makes the lining of the uterus less thick in blood, making implantation impossible
- 18. The following is NOT an equipment used in insertion of an Intra Uterine Contraceptive Device (IUCD):
 - a. Sponge holding forceps, Cusco speculum
 - b. Uterine sound, artery forceps
 - c. Uterine retractor, uterine sound
 - d. Tenaculum, Cusco speculum
- 19. The following is a form of gender discrimination:
 - a. Equal opportunities to both male and female
 - b. Opportunities to both male and female
 - c. Offering resources and opportunities equally to both males and females
 - d. Elder abuse
- 20. The 'peak day' when using the cervical mucus method is:
 - a. The last day of slippery, clear and wet mucus
 - b. Immediately after menstrual bleeding.
 - c. When any type of mucus is observed before ovulation
 - d. During menstruation

SECTION II: SHORT ANSWER QUESTIONS (30 MARKS)

- 1. State five (5) advantages of family planning to the nation (5 Marks)
- 2. Explain two (2) actions to take in the event the following side effects of progestin only pills (POPS) occur (4 Marks)
 - a. Heavy bleeding
 - b. Amenorrhea
- 3. State three (3) types of implants indicating the following for each:
 - a. The hormone it contains
 - b. Number of rods
 - c. Duration of effectiveness

(6 Marks)

- 4. Describe four (4) types of Female Genital Mutilation (8 Marks)
- 5. Describe the physiology of lactational amenorrhea method of family planning, indicating three (3) advantages of this form of family planning (4 Marks)
- 6. State three (3) limitations associated with tubal ligation (3 Marks)

SECTION III: LONG ANSWER QUESTIONS (20 MARKS)

- 1. Mrs. K has visited the family planning clinic, wishing to commence a family planning method. She has never used any family planning method before.
 - a. Explain the steps you will use to counsel Mrs. K (6 Marks)
 - b. Mrs. K opts to use IUCD, explain the mode action of non-hormonal IUCD (5 M arks)
 - c. State 4 types of IUCD and their duration of effectiveness(4 Marks)
 - d. Outline the instructions you will give Mrs. K after the insertion of IUCD (5marks)