

AMREF INTERNATIONAL UNIVERSITY SCHOOL OF MEDICAL SCIENCES DEPARTMENT OF NURSING & MIDWIFERY SCIENCES END OF SEMESTER AUGUST 2023 EXAMINATIONS

COURSE CODE AND TITLE: DOP 116 CANCER TREATMENT MODALITIES DATE: 10TH AUGUST 2023

Duration: 2 HOURS Start: 11:00 AM Finish: 1:00 PM

INSTRUCTIONS

- 1. This exam is out of 70 marks
- 2. This Examination comprises THREE Sections. Section I: Multiple Choice Questions (20 marks) Section II: Short Answer Questions (30 marks) and Section III: Long Answer Questions (20 marks)
- 3. Answer ALL Questions.
- 4. Do Not write anything on the question paper -use the back of your booklet for rough work if need be.

- 1. The medications given to a client with leukaemia as prophylaxis against P. carinii pneumonia: -
 - A. Vincristine
 - B. Prednisone
 - C. Oral nystatin suspension
 - D. Sulfamethoxazole and trimethoprim (Bactrim)
- 2. Bone marrow transplantation is not be indicated in: -
 - A. Severe aplastic anaemia
 - B. Severe combined immunodeficiency
 - C. Acute lymphocytic leukaemia
 - D. Chronic myeloid leukaemia
- 3. In nausea and vomiting caused by radiation and chemotherapy antiemetics should be administered: -
 - A. When therapy is completed
 - B. Immediately after nausea begins
 - C. With the administration of therapy
 - D. 30 minutes before the initiation of therapy
- 4. Following a modified radical mastectomy, an assessment finding that would indicate surgery related complications is:
 - A. Pain at the incisional site
 - B. Labile mood
 - C. Arm oedema on the operative side
 - D. Sanguineous drainage in the Jackson-Pratt drain
- 5. An early indication of infection after administration of high-dose chemotherapy in a patient with neutropenia is: -
 - A. Dyspnoea
 - B. Fever
 - C. Tachycardia
 - D. Chills
- 6. The best advice to give to a patient asking on how chemotherapeutic drugs will work is: -
 - A. "Cancer cells are susceptible to drug toxins."
 - B. "Chemotherapy affects all rapidly dividing cells."
 - C. "Chemotherapy encourages cancer cells to divide."
 - D. "The molecular structure of the DNA is altered."

| 7. | A pnei | umonectomy involves removal of: - |
|-----|---------|----------------------------------------------------------------------------------------------|
| | A. | One lobe of a lung |
| | B. | An entire lung field |
| | C. | One or more segments of a lung lobe |
| | D. | A small, wedge-shaped lung surface |
| 8. | Clients | s scheduled for radiation therapy should be prepared to expect: - |
| | A. | Fatigue |
| | B. | Vomiting |
| | C. | Hair loss |
| | D. | Stomatitis |
| 9. | One of | f the following adverse effects should be reported in Tamoxifen use: - |
| | A. | Anorexia |
| | B. | Headache |
| | C. | Hearing loss |
| | D. | Vision changes |
| 10 | . A mal | e client receiving external radiation to the neck for cancer of the larynx, will most likely |
| | experi | ence one of the following Sid effects: - |
| | A. | Diarrhoea |
| | B. | Dyspnoea |
| | C. | Constipation |
| | D. | Sore throat |
| 11. | In trea | tment of leukaemia Zyloprim (allopurinol) is to prevent: - |
| | A. | Mouth sores |
| | B. | Hyperuricemia |
| | C. | Nausea |
| | D. | Alopecia |
| 12 | The re | moval of entire breast, pectoralis major and minor muscles and neck lymph nodes followed by |
| | skin gi | rafting is a procedure called: - |
| | A. | Radiation therapy |
| | B. | Halstead surgery |
| | C. | Modified radical mastectomy |
| | D. | Simple mastectomy |
| | | |
| | | |

13. Chemotherapy treatment is contraindicated in: -A. Bone marrow depression B. Recent surgery C. Pregnancy D. All of the above 14. Cyclophosphamide (Cytoxan) most fatal side effect is: -A. Sterility B. Haemorrhagic cystitis C. Myeloma D. Alopecia 15. All the following medications are antineoplastic antibiotics except: -A. Doxorubicin B. Fluorouracil C. Mitoxantrone D. Bleomycin 16. The classification of the chemotherapeutic agent, Vincristine (Oncovin) is: -A. Hormone modulator B. Mitotic inhibitor C. Antineoplastic antibiotic D. Antimetabolite 17. During administration of a vesicant chemotherapeutic agent intravenously, an important consideration is: -A. Stop the infusion if swelling is observed at the site B. Infuse the medication over a short period C. Administer the chemotherapy through a small-bore catheter D. Hold the medication unless a central venous line is available 18. The drug corresponding to letter 'O' in the R-CHOP regimen used for chemotherapy of lymphocytic leukaemia is: -A. Omalizumab B. OndanPageron C. Vincristine D. Prednisone

| 19. The resistance to a majority of the anticancer agents is mainly due to: - | |
|---------------------------------------------------------------------------------|---------------------|
| A. Increased metabolism | |
| B. Alteration of enzymatic activity | |
| C. Drug efflux from target tissues | |
| D. Receptor down regulation | |
| 20. One of the following is a myeloid growth factor: - | |
| A. Filgrastim | |
| B. Interleukin-11 | |
| C. Eltrombopag | |
| D. Cyclosporine | |
| | |
| | |
| SECTION II: SHORT ANSWER QUESTIONS | (30 MARKS) |
| | |
| 1. State five (5) types of radiation therapies. | (5marks) |
| 2. List five (5) antimetabolites used in cancer treatment. | (5marks) |
| 3. Outline five (5) the roles of oncology nurse. | (5marks) |
| 4. State Complimentary Therapy and alternative medicine in Oncology. | (5marks) |
| 5. Highlight five (5) roles of surgery in cancer treatment. | (5marks |
| 6. Explain five (5) the standard safety measures in oncology unit. | (5marks) |
| | |
| | |
| SECTION III: LONG ANSWER QUESTION – | (20 MARKS) |
| | |
| 1. Discuss various treatment approaches used in management of nations diagnosed | Lwith concer of the |
| 1. Discuss various treatment approaches used in management of patient diagnosed | |
| cervix. | (20 marks) |
| | |
| | |
| | |
| | |