



AMREF INTERNATIONAL TRAINING CENTRE

HEALTH RECORDS AND INFORMATION TECHNOLOGY LEVEL 6

AITC/HRIT/03/6/A

Biostatistics and Data Analysis

July/August 2026

WRITTEN ASSESSMENT

Time: 2 HOURS

INSTRUCTIONS TO CANDIDATE

1. Marks for each question are indicated in the brackets.
2. The paper consists of **TWO** sections: **A** and **B**.
3. Candidates are provided with a separate answer booklet
4. **DO NOT** write on this question paper.

This paper consists of ELEVEN (11) printed pages

Candidates should check the question paper to ascertain that all pages are printed as indicated and that no questions are missing.

SECTION A: (40 MARKS)*Answer **all** questions in this section.*

1. Define the following terms.
 - a) Parameter (2 Marks)
 - b) Variable (2 Marks)
2. The following data was obtained by a biologist. 8,4,5,3,6,1,7 and 8
Calculate the following
 - a) 25th Percentile (2 Marks)
 - b) 8th Decile (2 Marks)
3. Using the given health-related dataset (18, 34, 76, 29, 15, 41, 46, 25, 54, 38, 20, 32, 43, 22),
Construct a box plot clearly explaining each step. (3 Marks)
4. Consider the following set; $x = \{11, 13, 15, 16, 19, 22, 13, 20\}$
Calculate;
 - a) Geometric mean using logarithms (2 Marks)
 - b) Sub Contrary mean. (2 Marks)
5. A researcher analyzed the association between injury severity (fatal vs. non-fatal) across two groups using a Chi-square test in R. The test results were as follows:

```
fatal=c(1601,510)
non_fatal=c(162527,412368)
status=cbind(fatal,non_fatal)
chisq=chisq.test(status)
chisq

##
## Pearson's Chi-squared test with Yates' continuity correction
##
## data: status
## X-squared = 2336.1, df = 1, p-value < 2.2e-16
```

- a) Based on the output above, is the result statistically significant at the 5% level. Justify your answer. (2 Marks)
 - b) What does the p-value tell us about the relationship between fatal and non-fatal outcomes across the two groups?. (2 Marks)
6. The R code below is intended to create a numeric vector, but it contains an error. Identify the problem.

age <- (16,21,18,19) (2 Marks)
7. Suppose a health facility is interested in the average recovery time (in days) for patients after a specific treatment. A random sample of 26 patient records shows a mean recovery time of 68

days. If the population standard deviation is known to be 3 days, calculate the 95% confidence interval estimate for the average recovery time of all patients who undergo this treatment.

(3 Marks)

8. Consider Two machines, M and N produce 60% and 40% respectively of the total number of items manufactured in a factory. It is observed that 5% of the items produced by machine M are defective while 3% of the items produced by machine N are defective. If an item is selected at random from the factory, find the probability that it is defective. (4 Marks)
9. Explain the concept of prospective payment systems (PPS) as used in healthcare financing. (3 Marks)

10. The following table shows the distribution of systolic blood pressure (in mmHg) recorded for a group of patients during a health screening exercise:

Systolic Blood Pressure (mmHg)	100-104	105-109	110-114	115-119	120-124	125-129	130-134
Number of patients.	2	8	18	13	7	1	1

Construct:

- a) Cumulative frequency curve (ogive). (3 Marks)
- b) Histogram. (2 Marks)

11. Results from a cross – sectional study examining the effects smoking on lung function among employees of an EPZ are shown below.

	SMOKER	
LUNG FUNCTION	YES	NO
Normal	682	577
Borderline	46	27
Moderately Impaired	11	7
Severely Impaired	0	0

- a) The purpose of this study was to determine if there is an association between smoking status and lung function. The investigator chose to answer this question using Pearson's chi square test with 3 degrees of freedom. Is this procedure appropriate. Provide a brief justification for your response. (2 Marks)
- b) Suggest an alternative method which could be used to analyze this data. (2 Marks)

SECTION B: (60 MARKS)*Answer any THREE questions in this section*

12.

- a) In a recent public safety and health assessment conducted by the County Government of Trans Nzoia, researchers collected data to investigate the relationship between alcohol consumption and types of crimes committed. The study aimed to provide insights into whether alcohol use might influence the prevalence or nature of criminal activity within the county. The data collected included six categories of crimes and the number of individuals involved in each crime, classified according to their alcoholic status (Alcoholic or Non-Alcoholic). The summarized findings are presented in the table below:

Crime	Alcoholic	Non -Alcoholic
Arson	50	43
Rape	88	62
Violence	155	110
Theft	379	300
Coning	18	14
Fraud	63	144

As a health analyst, you are tasked with evaluating whether alcoholic status has a significant association with the type of crime committed. Your analysis will assist policymakers in designing targeted interventions.

- i) Determine whether or not Alcoholic status and Type of Crime are dependent. (8 Marks)
- ii) Provide the R code that can be used to determine whether there is a significant association between alcoholic status and type of crime in Trans Nzoia County. (2 Marks)
- b) A supervisor decided to track the productivity of two employees, Daniel and Juma. On five randomly selected weeks, the number of completed reports by the employees were summarized in the table below.

Employee	Completed reports				
Daniel	15	5	10	25	20
Juma	10	20	20	10	15

- i) Determine the sample variance for each employee. (8 Marks)
- ii) Which employee is more productive. Give a reason. (2 Marks)

13.

- a) The variables X and Y represent health assessment scores recorded during a preliminary screening and final evaluation, respectively, for patients enrolled in a medical outreach program by Amref Flying Doctors.

X (Preliminary Score)	Y Final score
70	77
74	94
72	88
68	80
58	71
54	76
82	88
64	80
80	90
61	69

Using the above patient data collected by Amref Flying Doctors, do the following:

- i) Draw a scatter plot to examine the relationship between preliminary and final health assessment scores. (2 Marks)
 - ii) Fit a simple linear regression model to describe the relationship. (6 Marks)
 - iii) Predict the final score (Y) for a patient whose preliminary score (X) is 65. (2 Marks)
- b) In a hospital ward, the body temperatures (in °C) of 50 patients were recorded during routine clinical assessment as part of patient monitoring and infection control. Using the data provided, construct a grouped frequency distribution table to summarize the distribution of patients' body temperatures.
- 112, 100, 127, 120, 134, 118, 105, 110, 109, 112, 110, 118, 117, 116, 118, 122, 114, 114, 105, 109, 107, 112, 114, 115, 118, 117, 118, 122, 106, 110, 116, 108, 110, 121, 113, 120, 119, 111, 104, 111, 120, 113, 120, 117, 105, 110, 118, 112, 114, 114
- (10 Marks)

14.

- a) In 2024, Kitale County Referral Hospital had allocated 92 beds and 27 cots. During the same year, the hospital admitted 3,144 patients and recorded 3,242 discharges and deaths. The total number of inpatient days for the year was 28,600.

Using this information, calculate the following for administrative planning and evaluation at Kitale County Referral Hospital.

- i) Available bed days. (2 Marks)
 - ii) Excess or vacant bed days. (2 Marks)
 - iii) Daily bed occupancy rate. (2 Marks)
 - iv) Turnover Interval. (2 Marks)
 - v) Turnover Per Bed. (2 Marks)
- b) Describe the steps followed when performing hypothesis testing in the analysis of health-related data. (3 Marks)
- c) A study was conducted to investigate the effectiveness of hypnotism in reducing pain. Results for randomly selected subjects is shown in the table below. A lower score indicates less pain. The before value is matched to an after value and the differences are calculated. Are the sensory measurements, on average, lower after hypnotism? Test at 5% significance level. (7 Marks)

Subject	A	B	C	D	E	F	G	H
Before	6.6	6.5	9.0	10.3	11.3	8.1	6.3	11.6
After	6.8	2.4	7.4	8.5	8.1	6.1	3.4	2.0

15.

- a) Obtain the Pearson's Product Moment Correlation Coefficient for the following data and interpret your results. (10 Marks)

Town	A	B	C	D	E	F	G	H	I	J	K
Poverty	25	30	35	40	45	50	55	9	7	12	20
Overcrowding	18	24	30	36	42	48	54	22	2	8	10

- b) Two integers x and y are selected at random from the integers 1 to 8. If the same integer may be selected twice, find the probability that

- i) $|x - y| = 2$. (2 Marks)
- ii) $|x - y|$ is 5 or more. (2 Marks)

iii) $x > y$ (2 Marks)

c) Consider a hospital emergency department where patients arrive according to a Poisson process at an average rate of 2 patients per minute. Determine the probability that in any one-minute interval:

i) No patients arrive . (2 Marks)

ii) Exactly 3 patients arrive. (2 Marks)

AMU

STANDARD NORMAL DISTRIBUTION: Table Values Represent AREA to the LEFT of the Z score.

Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-3.9	.00005	.00005	.00004	.00004	.00004	.00004	.00004	.00004	.00003	.00003
-3.8	.00007	.00007	.00007	.00006	.00006	.00006	.00006	.00005	.00005	.00005
-3.7	.00011	.00010	.00010	.00010	.00009	.00009	.00008	.00008	.00008	.00008
-3.6	.00016	.00015	.00015	.00014	.00014	.00013	.00013	.00012	.00012	.00011
-3.5	.00023	.00022	.00022	.00021	.00020	.00019	.00019	.00018	.00017	.00017
-3.4	.00034	.00032	.00031	.00030	.00029	.00028	.00027	.00026	.00025	.00024
-3.3	.00048	.00047	.00045	.00043	.00042	.00040	.00039	.00038	.00036	.00035
-3.2	.00069	.00066	.00064	.00062	.00060	.00058	.00056	.00054	.00052	.00050
-3.1	.00097	.00094	.00090	.00087	.00084	.00082	.00079	.00076	.00074	.00071
-3.0	.00135	.00131	.00126	.00122	.00118	.00114	.00111	.00107	.00104	.00100
-2.9	.00187	.00181	.00175	.00169	.00164	.00159	.00154	.00149	.00144	.00139
-2.8	.00256	.00248	.00240	.00233	.00226	.00219	.00212	.00205	.00199	.00193
-2.7	.00347	.00336	.00326	.00317	.00307	.00298	.00289	.00280	.00272	.00264
-2.6	.00466	.00453	.00440	.00427	.00415	.00402	.00391	.00379	.00368	.00357
-2.5	.00621	.00604	.00587	.00570	.00554	.00539	.00523	.00508	.00494	.00480
-2.4	.00820	.00798	.00776	.00755	.00734	.00714	.00695	.00676	.00657	.00639
-2.3	.01072	.01044	.01017	.00990	.00964	.00939	.00914	.00889	.00866	.00842
-2.2	.01390	.01355	.01321	.01287	.01255	.01222	.01191	.01160	.01130	.01101
-2.1	.01786	.01743	.01700	.01659	.01618	.01578	.01539	.01500	.01463	.01426
-2.0	.02275	.02222	.02169	.02118	.02068	.02018	.01970	.01923	.01876	.01831
-1.9	.02872	.02807	.02743	.02680	.02619	.02559	.02500	.02442	.02385	.02330
-1.8	.03593	.03515	.03438	.03362	.03288	.03216	.03144	.03074	.03005	.02938
-1.7	.04457	.04363	.04272	.04182	.04093	.04006	.03920	.03836	.03754	.03673
-1.6	.05480	.05370	.05262	.05155	.05050	.04947	.04846	.04746	.04648	.04551
-1.5	.06681	.06552	.06426	.06301	.06178	.06057	.05938	.05821	.05705	.05592
-1.4	.08076	.07927	.07780	.07636	.07493	.07353	.07215	.07078	.06944	.06811
-1.3	.09680	.09510	.09342	.09176	.09012	.08851	.08691	.08534	.08379	.08226
-1.2	.11507	.11314	.11123	.10935	.10749	.10565	.10383	.10204	.10027	.09853
-1.1	.13567	.13350	.13136	.12924	.12714	.12507	.12302	.12100	.11900	.11702
-1.0	.15866	.15625	.15386	.15151	.14917	.14686	.14457	.14231	.14007	.13786
-0.9	.18406	.18141	.17879	.17619	.17361	.17106	.16853	.16602	.16354	.16109
-0.8	.21186	.20897	.20611	.20327	.20045	.19766	.19489	.19215	.18943	.18673
-0.7	.24196	.23885	.23576	.23270	.22965	.22663	.22363	.22065	.21770	.21476
-0.6	.27425	.27093	.26763	.26435	.26109	.25785	.25463	.25143	.24825	.24510
-0.5	.30854	.30503	.30153	.29806	.29460	.29116	.28774	.28434	.28096	.27760
-0.4	.34458	.34090	.33724	.33360	.32997	.32636	.32276	.31918	.31561	.31207
-0.3	.38209	.37828	.37448	.37070	.36693	.36317	.35942	.35569	.35197	.34827
-0.2	.42074	.41683	.41294	.40905	.40517	.40129	.39743	.39358	.38974	.38591
-0.1	.46017	.45620	.45224	.44828	.44433	.44038	.43644	.43251	.42858	.42465
-0.0	.50000	.49601	.49202	.48803	.48405	.48006	.47608	.47210	.46812	.46414

a)


STANDARD NORMAL DISTRIBUTION: Table Values Represent AREA to the LEFT of the Z score.

Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.50000	.50399	.50798	.51197	.51595	.51994	.52392	.52790	.53188	.53586
0.1	.53983	.54380	.54776	.55172	.55567	.55962	.56356	.56749	.57142	.57535
0.2	.57926	.58317	.58706	.59095	.59483	.59871	.60257	.60642	.61026	.61409
0.3	.61791	.62172	.62552	.62930	.63307	.63683	.64058	.64431	.64803	.65173
0.4	.65542	.65910	.66276	.66640	.67003	.67364	.67724	.68082	.68439	.68793
0.5	.69146	.69497	.69847	.70194	.70540	.70884	.71226	.71566	.71904	.72240
0.6	.72575	.72907	.73237	.73565	.73891	.74215	.74537	.74857	.75175	.75490
0.7	.75804	.76115	.76424	.76730	.77035	.77337	.77637	.77935	.78230	.78524
0.8	.78814	.79103	.79389	.79673	.79955	.80234	.80511	.80785	.81057	.81327
0.9	.81594	.81859	.82121	.82381	.82639	.82894	.83147	.83398	.83646	.83891
1.0	.84134	.84375	.84614	.84849	.85083	.85314	.85543	.85769	.85993	.86214
1.1	.86433	.86650	.86864	.87076	.87286	.87493	.87698	.87900	.88100	.88298
1.2	.88493	.88686	.88877	.89065	.89251	.89435	.89617	.89796	.89973	.90147
1.3	.90320	.90490	.90658	.90824	.90988	.91149	.91309	.91466	.91621	.91774
1.4	.91924	.92073	.92220	.92364	.92507	.92647	.92785	.92922	.93056	.93189
1.5	.93319	.93448	.93574	.93699	.93822	.93943	.94062	.94179	.94295	.94408
1.6	.94520	.94630	.94738	.94845	.94950	.95053	.95154	.95254	.95352	.95449
1.7	.95543	.95637	.95728	.95818	.95907	.95994	.96080	.96164	.96246	.96327
1.8	.96407	.96485	.96562	.96638	.96712	.96784	.96856	.96926	.96995	.97062
1.9	.97128	.97193	.97257	.97320	.97381	.97441	.97500	.97558	.97615	.97670
2.0	.97725	.97778	.97831	.97882	.97932	.97982	.98030	.98077	.98124	.98169
2.1	.98214	.98257	.98300	.98341	.98382	.98422	.98461	.98500	.98537	.98574
2.2	.98610	.98645	.98679	.98713	.98745	.98778	.98809	.98840	.98870	.98899
2.3	.98928	.98956	.98983	.99010	.99036	.99061	.99086	.99111	.99134	.99158
2.4	.99180	.99202	.99224	.99245	.99266	.99286	.99305	.99324	.99343	.99361
2.5	.99379	.99396	.99413	.99430	.99446	.99461	.99477	.99492	.99506	.99520
2.6	.99534	.99547	.99560	.99573	.99585	.99598	.99609	.99621	.99632	.99643
2.7	.99653	.99664	.99674	.99683	.99693	.99702	.99711	.99720	.99728	.99736
2.8	.99744	.99752	.99760	.99767	.99774	.99781	.99788	.99795	.99801	.99807
2.9	.99813	.99819	.99825	.99831	.99836	.99841	.99846	.99851	.99856	.99861
3.0	.99865	.99869	.99874	.99878	.99882	.99886	.99889	.99893	.99896	.99900
3.1	.99903	.99906	.99910	.99913	.99916	.99918	.99921	.99924	.99926	.99929
3.2	.99931	.99934	.99936	.99938	.99940	.99942	.99944	.99946	.99948	.99950
3.3	.99952	.99953	.99955	.99957	.99958	.99960	.99961	.99962	.99964	.99965
3.4	.99966	.99968	.99969	.99970	.99971	.99972	.99973	.99974	.99975	.99976
3.5	.99977	.99978	.99978	.99979	.99980	.99981	.99981	.99982	.99983	.99983
3.6	.99984	.99985	.99985	.99986	.99986	.99987	.99987	.99988	.99988	.99989
3.7	.99989	.99990	.99990	.99990	.99991	.99991	.99992	.99992	.99992	.99992
3.8	.99993	.99993	.99993	.99994	.99994	.99994	.99994	.99995	.99995	.99995
3.9	.99995	.99995	.99996	.99996	.99996	.99996	.99996	.99996	.99997	.99997

t Table

cum. prob	$t_{.50}$	$t_{.75}$	$t_{.80}$	$t_{.85}$	$t_{.90}$	$t_{.95}$	$t_{.975}$	$t_{.99}$	$t_{.995}$	$t_{.999}$	$t_{.9995}$
one-tail	0.50	0.25	0.20	0.15	0.10	0.05	0.025	0.01	0.005	0.001	0.0005
two-tails	1.00	0.50	0.40	0.30	0.20	0.10	0.05	0.02	0.01	0.002	0.001
df											
1	0.000	1.000	1.376	1.963	3.078	6.314	12.71	31.82	63.66	318.31	636.62
2	0.000	0.816	1.061	1.386	1.886	2.920	4.303	6.965	9.925	22.327	31.599
3	0.000	0.765	0.978	1.250	1.638	2.353	3.182	4.541	5.841	10.215	12.924
4	0.000	0.741	0.941	1.190	1.533	2.132	2.776	3.747	4.604	7.173	8.610
5	0.000	0.727	0.920	1.156	1.476	2.015	2.571	3.365	4.032	5.893	6.869
6	0.000	0.718	0.906	1.134	1.440	1.943	2.447	3.143	3.707	5.208	5.959
7	0.000	0.711	0.896	1.119	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	0.000	0.706	0.889	1.108	1.397	1.860	2.306	2.896	3.355	4.501	5.041
9	0.000	0.703	0.883	1.100	1.383	1.833	2.262	2.821	3.250	4.297	4.781
10	0.000	0.700	0.879	1.093	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	0.000	0.697	0.876	1.088	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	0.000	0.695	0.873	1.083	1.356	1.782	2.179	2.681	3.055	3.930	4.318
13	0.000	0.694	0.870	1.079	1.350	1.771	2.160	2.650	3.012	3.852	4.221
14	0.000	0.692	0.868	1.076	1.345	1.761	2.145	2.624	2.977	3.787	4.140
15	0.000	0.691	0.866	1.074	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	0.000	0.690	0.865	1.071	1.337	1.746	2.120	2.583	2.921	3.686	4.015
17	0.000	0.689	0.863	1.069	1.333	1.740	2.110	2.567	2.898	3.646	3.965
18	0.000	0.688	0.862	1.067	1.330	1.734	2.101	2.552	2.878	3.610	3.922
19	0.000	0.688	0.861	1.066	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	0.000	0.687	0.860	1.064	1.325	1.725	2.086	2.528	2.845	3.552	3.850
21	0.000	0.686	0.859	1.063	1.323	1.721	2.080	2.518	2.831	3.527	3.819
22	0.000	0.686	0.858	1.061	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	0.000	0.685	0.858	1.060	1.319	1.714	2.069	2.500	2.807	3.485	3.768
24	0.000	0.685	0.857	1.059	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	0.000	0.684	0.856	1.058	1.316	1.708	2.060	2.485	2.787	3.450	3.725
26	0.000	0.684	0.856	1.058	1.315	1.706	2.056	2.479	2.779	3.435	3.707
27	0.000	0.684	0.855	1.057	1.314	1.703	2.052	2.473	2.771	3.421	3.690
28	0.000	0.683	0.855	1.056	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	0.000	0.683	0.854	1.055	1.311	1.699	2.045	2.462	2.756	3.396	3.659
30	0.000	0.683	0.854	1.055	1.310	1.697	2.042	2.457	2.750	3.385	3.646
40	0.000	0.681	0.851	1.050	1.303	1.684	2.021	2.423	2.704	3.307	3.551
60	0.000	0.679	0.848	1.045	1.296	1.671	2.000	2.390	2.660	3.232	3.460
80	0.000	0.678	0.846	1.043	1.292	1.664	1.990	2.374	2.639	3.195	3.416
100	0.000	0.677	0.845	1.042	1.290	1.660	1.984	2.364	2.626	3.174	3.390
1000	0.000	0.675	0.842	1.037	1.282	1.646	1.962	2.330	2.581	3.098	3.300
Z	0.000	0.674	0.842	1.036	1.282	1.645	1.960	2.326	2.576	3.090	3.291
	0%	50%	60%	70%	80%	90%	95%	98%	99%	99.8%	99.9%
	Confidence Level										

Chi-Square Distribution Table



The shaded area is equal to α for $\chi^2 = \chi^2_{\alpha}$.

df	$\chi^2_{.995}$	$\chi^2_{.990}$	$\chi^2_{.975}$	$\chi^2_{.950}$	$\chi^2_{.900}$	$\chi^2_{.100}$	$\chi^2_{.050}$	$\chi^2_{.025}$	$\chi^2_{.010}$	$\chi^2_{.005}$
1	0.000	0.000	0.001	0.004	0.016	2.706	3.841	5.024	6.635	7.879
2	0.010	0.020	0.051	0.103	0.211	4.605	5.991	7.378	9.210	10.597
3	0.072	0.115	0.216	0.352	0.584	6.251	7.815	9.348	11.345	12.838
4	0.207	0.297	0.484	0.711	1.064	7.779	9.488	11.143	13.277	14.860
5	0.412	0.554	0.831	1.145	1.610	9.236	11.070	12.833	15.086	16.750
6	0.676	0.872	1.237	1.635	2.204	10.645	12.592	14.449	16.812	18.548
7	0.989	1.239	1.690	2.167	2.833	12.017	14.067	16.013	18.475	20.278
8	1.344	1.646	2.180	2.733	3.490	13.362	15.507	17.535	20.090	21.955
9	1.735	2.088	2.700	3.325	4.168	14.684	16.919	19.023	21.666	23.589
10	2.156	2.558	3.247	3.940	4.865	15.987	18.307	20.483	23.209	25.188
11	2.603	3.053	3.816	4.575	5.578	17.275	19.675	21.920	24.725	26.757
12	3.074	3.571	4.404	5.226	6.304	18.549	21.026	23.337	26.217	28.300
13	3.565	4.107	5.009	5.892	7.042	19.812	22.362	24.736	27.688	29.819
14	4.075	4.660	5.629	6.571	7.790	21.064	23.685	26.119	29.141	31.319
15	4.601	5.229	6.262	7.261	8.547	22.307	24.996	27.488	30.578	32.801
16	5.142	5.812	6.908	7.962	9.312	23.542	26.296	28.845	32.000	34.267
17	5.697	6.408	7.564	8.672	10.085	24.769	27.587	30.191	33.409	35.718
18	6.265	7.015	8.231	9.390	10.865	25.989	28.869	31.526	34.805	37.156
19	6.844	7.633	8.907	10.117	11.651	27.204	30.144	32.852	36.191	38.582
20	7.434	8.260	9.591	10.851	12.443	28.412	31.410	34.170	37.566	39.997
21	8.034	8.897	10.283	11.591	13.240	29.615	32.671	35.479	38.932	41.401
22	8.643	9.542	10.982	12.338	14.041	30.813	33.924	36.781	40.289	42.796
23	9.260	10.196	11.689	13.091	14.848	32.007	35.172	38.076	41.638	44.181
24	9.886	10.856	12.401	13.848	15.659	33.196	36.415	39.364	42.980	45.559
25	10.520	11.524	13.120	14.611	16.473	34.382	37.652	40.646	44.314	46.928
26	11.160	12.198	13.844	15.379	17.292	35.563	38.885	41.923	45.642	48.290
27	11.808	12.879	14.573	16.151	18.114	36.741	40.113	43.195	46.963	49.645
28	12.461	13.565	15.308	16.928	18.939	37.916	41.337	44.461	48.278	50.993
29	13.121	14.256	16.047	17.708	19.768	39.087	42.557	45.722	49.588	52.336
30	13.787	14.953	16.791	18.493	20.599	40.256	43.773	46.979	50.892	53.672
40	20.707	22.164	24.433	26.509	29.051	51.805	55.758	59.342	63.691	66.766
50	27.991	29.707	32.357	34.764	37.689	63.167	67.505	71.420	76.154	79.490
60	35.534	37.485	40.482	43.188	46.459	74.397	79.082	83.298	88.379	91.952
70	43.275	45.442	48.758	51.739	55.329	85.527	90.531	95.023	100.425	104.215
80	51.172	53.540	57.153	60.391	64.278	96.578	101.879	106.629	112.329	116.321
90	59.196	61.754	65.647	69.126	73.291	107.565	113.145	118.136	124.116	128.299
100	67.328	70.065	74.222	77.929	82.358	118.498	124.342	129.561	135.807	140.169